



Customer: .

Contact:  
Phone:  
Email:

**Body:** Maintainer Body H6520TT-1-084  
**Chassis:** 2020 Ford F550 C/C 4x4

Quote Number: 190500

Quote Date:

Salesperson:

QTY	DESCRIPTION	NOTE
	<b>Maintainer Service Body With Crane</b>	
	<b>----- Maintainer Body -----</b>	
1	MTS-1-084, 52" High X 23" Deep Compartments, 11' Long Body, 14 / 12 Ga. Body with 14-gauge deck-plate compartment tops & back, 44" x 21" wheel well opening, fuel fill(s) recessed into body side rail. Galvanneal body includes Cabinets with reinforced floors, clean out drains and adjustable aluminum shelving package (250 lb. capacity), 3/16" Aluminum doors with Three Point D-ring door latches and gas spring door holders, 49"W center deck floor is 1/8" diamond plate. Also includes wheel skirting, front body bulkhead, rear 10" tall hinge down tailgate, mud flaps, rear body grab handles, ICC recessed LED lights & reflectors, includes 2 rear oval strobes (Buyers SL66CA) 97dB backup alarm, and Mini I.C.C. safety kit (2.5 lb ABC fire extinguisher & hazard reflectors). Body primed and undercoated, splatter-coating on compartment interiors.	
1	Tall Tower Crane reinforcement for MTS 1 or 2 ton service body (up to 75,000 ft*lb) NOTE: For individual crane equipment & accessory items ie. adj. boom saddle, outrigger pkgs., body leveling pkgs., hyd. pkgs. to operate a crane or other hyd. drive components - Contact Factory	
1	Compartment to have Reverse-Opening door(s), in lieu of standard	
1	Factory Installation of body on a chassis	
	<b>----- Compartment Equipment &amp; Accessories -----</b>	
1	Oxy / Act bottle storage w/ratchet strap, vents, "J" hks. & reinforced floor	
1	Pressurized Storage System (PSS), 2-blowers with filters	
2	Compartment to have large single door, in lieu of double doors. NOTE: for up to 40" wide compartment	PS1 & DS1
2	Compartment to have a single "hinge-up" or "hinge-down" door Priced each, in lieu of standard.	Over wheel compartment on each side
	<b>----- Hydraulic Power Package -----</b>	
1	Open center hydraulic power package, includes air shift PTO (requires chassis air system) Includes: pump, std oil reservoir with in-tank filter, vented fill cap, sight gauge.	
	<b>----- Crane Equipment &amp; Accessories -----</b>	
1	H6520TT Crane 6,500 lb max capacity (38,000 ft*lb) with hydraulic extend hex-boom 12'-20' Crane includes a true independent proportional wireless remote, holder with storage sensor, indicator light & external antenna, ACC, gear winch, crane hour meter, engine start/stop, A2B, overload system, holding valves & load block with non-live-swivel safety hook.	

1	Annual crane inspection (Initial inspection)	
1	Backup cable for wireless crane remote, 35ft (#022585)	
1	Install hydraulic crane on body - includes boom saddle, and valve well with HD reinforced cover	
	<b>----- Outriggers &amp; Accessories -----</b>	
1	Outriggers for cranes up to 45,100 ft*lb, hydraulic up/down rear outriggers (2) with manual extend in/out on crane side (30" extend)	
	<b>----- Chassis Equipment &amp; Accessories -----</b>	
1	Spring or spacer leveling package added to one side of chassis suspension (1-Ton)	
1	Add charge to standard PTO package for electric-over-hydraulic required on chassis with automatic transmission.(Ford F450-F550, F650-F750 & Ram 4500-5500)	
1	Electronic engine speed control - computer set - electronic engine	
	<b>----- Air Compressor Equipment &amp; Accessories -----</b>	
1	Vanair Reliant RC40 reciprocating hydraulic driven 40 CFM air compressor w/ white cover 40 CFM @ 100 PSI / 40 CFM @ 150 PSI w/ 17 gallon air tank (painted black) with moisture drain & integral hydraulic oil cooler Includes cold weather package (oil cooler thermal bypass) Note: Hydraulic requirement = 12 gpm	
1	Hose reel access (fiber box)	
1	Air accessory package - 1/2" X 50' Filter / lubricator / regulator, spring rewind reel 022671 (J spring), hose & ball stop	
	<b>----- Lighting / Electrical Equipment &amp; Accessories -----</b>	
1	~Exterior 12v LED flood light pkg. 1-perm 022232 / 1-remote 022233 (2,100 lumens)	
7	Interior 12 v. LED strip light (can be used in O/A compartments)	
1	Note: Move rear work light wire 10 1/2" from outside of compartment towards center deck	
	<b>----- Painting Equipment &amp; Accessories -----</b>	
11	Feet of unit painted urethane "White" color. Not a base coat/clear coat or Metallic Note: Includes protective spray covering on compartment fronts, bottom door frames, outside area around wheel wells, outer vertical outrigger tubes, rear bumper face & step surface Note: Due to variations in OEM paint products and application methods, Maintainer cannot guarantee a perfect paint match on color	
	<b>----- Roll-Out drawer and Tray Equipment &amp; Accessories -----</b>	
1	~DuaLock (7) drawer aluminum set 29"W x 18"D x (1)-7", (3)-5", (3)-3"H, (300 lb. cap. per drawer) Includes top shelf 7" bottom space, overall height 41.50", #020017, Installed (2) Permanent Side-to-Side Dividers, Removable Front-to-Back Dividers	
	<b>----- Center Deck Equipment &amp; Accessories -----</b>	
4	Flush mount "D" ring tie-downs in bed floor #003217, each	
	<b>----- Rear Bumper &amp; Accessories -----</b>	
1	26" steel workbench bumper with rear access step, 2-side storage compartments Includes two mounting pockets for an optional vise / grinder mounting plate Includes a stainless steel rear bumper shell Note: Hitch and trailer plug to be quoted separately	
1	Class IV hitch receiver - 2" receiver - rated at 1,500 lbs. vert. 10,000 lbs. MGTV Note: customer is responsible to verify tow rating of chassis and available GVWR/GCWR remaining after loading of body and all other items.	
1	Trailer plug-in 7-prong flat blade #007486 (RV style)	
1	~Transverse bar storage compartment in workbench bumper flush to the floor Note: 88" long, width and height vary depending on hitch type, consult factory for details	
	<b>----- Miscellaneous Equipment &amp; Accessories -----</b>	
1	Vise / grinder removable mounting plate	
1	Welder Mounting Angles	

	----- <b>Equipment Serial Information</b> -----	
	Body & Crane Serial # 190500	
	Compressor Serial # TBD	
	Chassis Vin # 1FD0W5HTXLEC48673	