

| Customer: . | Body: Maintainer Body H6520TT-1-084 Chassis: 2020 Ford F550 R/C 4x4 |
|------------------------------|--|
| Contact: Phone: Email: | |

Quote Number: 190505 Quote Date:

Salesperson:

| QTY | DESCRIPTION | NOTE |
|-----|--|---|
| | Maintainer Service Body With Crane | |
| | | |
| | Maintainer Body | |
| 1 | MTS-1-084, 52" High X 23" Deep Compartments, 11' Long Body, 14 / 12 Ga. Body with 14-gauge deck- plate compartment tops & back, 44" x 21" wheel well opening, fuel fill(s) recessed into body side rail. Galvanneal body includes Cabinets with reinforced floors, clean out drains and adjustable aluminum shelving package (250 lb. capacity), 3/16" Aluminum doors with Three Point D-ring door latches and gas spring door holders, 49"W center deck floor is 1/8" diamond plate. Also includes wheel skirting, front body bulkhead, rear 10" tall hinge down tailgate, mud flaps, rear body | |
| | grab handles, ICC recessed LED lights & reflectors, includes 2 rear oval strobes (Buyers SL66CA) 97dB backup alarm, and Mini I.C.C. safety kit (2.5 lb ABC fire extinguisher & hazard reflectors). Body primed and undercoated, splatter-coating on compartment interiors. | |
| 1 | Tall Tower Crane reinforcement for MTS 1 or 2 ton service body (up to 75,000 ft*lb) NOTE: For individual crane equipment & accessory items ie. adj. boom saddle, outrigger pkgs., body leveling pkgs., hyd. pkgs. to operate a crane or other hyd. drive components - Contact Factory | |
| 1 | Compartment to have Reverse-Opening door(s), in lieu of standard | |
| 1 | Factory Installation of body on a chassis | |
| | Compartment Equipment & Accessories | |
| 1 | Oxy / Act bottle storage w/ratchet strap, vents, "J" hks. & reinforced floor | |
| 1 | Pressurized Storage System (PSS), 2-blowers with filters | |
| 2 | Compartment to have large single door, in lieu of double doors. NOTE: for up to 40" wide compartment | PS1 & DS1 |
| 2 | Compartment to have a single "hinge-up" or "hinge-down" door Priced each, in lieu of standard. | Over wheel compartment on each side |
| | Hydraulic Power Package | |
| 1 | Open center hydraulic power package, includes air shift PTO (requires chassis air system) Includes: pump, std oil reservoir with in-tank filter, vented fill cap, sight gauge. | |
| | Crane Equipment & Accessories | |
| 1 | H6520TT Crane 6,500 lb max capacity (38,000 ft*lb) with hydraulic extend hex-boom 12'-20' Crane includes a true independent proportional wireless remote, holder with storage sensor, indicator light & external antenna, ACC, gear winch, crane hour meter, engine start/stop, A2B, overload system, holding valves & load block with non-live-swivel safety hook. | |

| 1 | Annual arous inspection (Initial inspection) | |
|--------|---|--|
| 1 | Annual crane inspection (Initial inspection) | |
| 1 | Backup cable for wireless crane remote, 35ft (#022585) | |
| 1 | Install hydraulic crane on body - includes boom saddle, and valve well with HD reinforced cover | |
| | | |
| | Outriggers & Accessories | |
| 1 | Outriggers for cranes up to 45,100 ft*lb, hydraulic up/down rear outriggers (2) with manual extend in/out on | |
| | crane side (30" extend) | |
| | | |
| | Chassis Equipment & Accessories | |
| 1 | Spring or spacer leveling package added to one side of chassis suspension (1-Ton) | |
| 1 | Add charge to standard PTO package for electric-over-hydraulic required on chassis with automatic | |
| | transmission.(Ford F450-F550, F650-F750 & Ram 4500-5500) | |
| 1 | Electronic engine speed control - computer set - electronic engine | |
| | | |
| | Air Compressor Equipment & Accessories | |
| 1 | Vanair Reliant RC40 reciprocating hydraulic driven 40 CFM air compressor w/ white cover | |
| | 40 CFM @ 100 PSI / 40 CFM @ 150 PSI w/ 17 gallon air tank (painted black) with moisture drain & | |
| | integral hydraulic oil cooler | |
| | Includes cold weather package (oil cooler thermal bypass) | |
| | Note: Hydraulic requirement = 12 gpm | |
| 1 | Hose reel access (fiber box) | |
| 1 | Air accessory package - 1/2" X 50' Filter / lubricator / regulator, spring rewind reel 022671 (J spring), hose | |
| | & ball stop | |
| | | |
| | Lighting / Electrical Equipment & Accessories | |
| 1 | ~Exterior 12v LED flood light pkg. 1-perm 022232 / 1-remote 022233 (2,100 lumens) | |
| 7 | Interior 12 v. LED strip light (can be used in O/A compartments) | |
| 1 | Note: Move rear work light wire 10 1/2" from outside of compartment towards center deck | |
| | | |
| | Painting Equipment & Accessories | |
| 11 | Feet of unit painted urethane "White" color. Not a base coat/clear coat or Metallic | |
| | Note: Includes protective spray covering on compartment fronts, bottom door frames, outside area around | |
| | wheel wells, outer vertical outrigger tubes, rear bumper face & step surface | |
| | Note: Due to variations in OEM paint products and application methods, Maintainer cannot guarantee a perfect paint match on color | |
| | | |
| | Doll Out drower and Tray Equipment & Accessories | |
| 1 | Roll-Out drawer and Tray Equipment & Accessories ~DuaLock (7) drawer aluminum set 29"W x 18"D x (1)-7", (3)-5", (3)-3"H, (300 lb. cap. per drawer) | |
| 1 | Includes top shelf | |
| | 7" bottom space, overall height 41.50", #020017, Installed | |
| | (2) Permanent Side-to-Side Dividers, Removable Front-to-Back Dividers | |
| | | |
| | Center Deck Equipment & Accessories | |
| 4 | Flush mount "D" ring tie-downs in bed floor #003217, each | |
| • | | |
| | Rear Bumper & Accessories | |
| 1 | 26" steel workbench bumper with rear access step, 2-side storage compartments | |
| • | Includes two mounting pockets for an optional vise / grinder mounting plate | |
| | Includes a stainless steel rear bumper shell | |
| | Note: Hitch and trailer plug to be quoted separately | |
| 1 | Class IV hitch receiver - 2" receiver - rated at 1,500 lbs. vert. 10,000 lbs. MGTW | |
| • | | |
| • | Note: customer is responsible to verify tow rating of chassis and available GVWR/GCWR remaining after | |
| | Note: customer is responsible to verify tow rating of chassis and available GVWR/GCWR remaining after loading of body and all other items. | |
| 1 | loading of body and all other items. | |
| | loading of body and all other items. Trailer plug-in 7-prong flat blade #007486 (RV style) | |
| 1 | loading of body and all other items. Trailer plug-in 7-prong flat blade #007486 (RV style) ~Transverse bar storage compartment in workbench bumper flush to the floor | |
| 1 | loading of body and all other items. Trailer plug-in 7-prong flat blade #007486 (RV style) | |
| 1 | loading of body and all other items. Trailer plug-in 7-prong flat blade #007486 (RV style) ~Transverse bar storage compartment in workbench bumper flush to the floor Note: 88" long, width and height vary depending on hitch type, consult factory for details | |
| 1 | loading of body and all other items. Trailer plug-in 7-prong flat blade #007486 (RV style) ~Transverse bar storage compartment in workbench bumper flush to the floor Note: 88" long, width and height vary depending on hitch type, consult factory for details | |
| 1 1 | loading of body and all other items. Trailer plug-in 7-prong flat blade #007486 (RV style) ~Transverse bar storage compartment in workbench bumper flush to the floor Note: 88" long, width and height vary depending on hitch type, consult factory for details | |

| | Equipment Serial Information | |
|----|--------------------------------|--|
| Bo | ody & Crane Serial # 190505 | |
| Co | ompressor Serial # TBD | |
| Cl | hassis Vin # 1FDUF5HT2LDA00361 | |