

# Maintainer

- Galvannealed body to resist corrosion including body shell (12 ga), bulkhead, wheel skirting and all exterior sheeting / Aluminum doors (3/16" thick)
- Cabinet floor reinforcement w/ clean-out drains
- Three point D-ring door latches w/ gas shock door holders
- Adjustable shelving package
- 49" Wide center deck overlaid with deck plating
- 10" Swing-down tailgate
- 12" Deep, full body width, step bumper w/ 2" square frame hitch receiver rated at Class IV (1,500 lb vert & 10,000 lb MGTW) and 7-prong flat blade (RV style) trailer plug
- Fuel fill recessed into body side rail (1-ton only)
- Body primed, undercoated and includes back-up alarm
- I.C.C. round recessed lights, reflectors, mud flaps and rear body grab handles
- Mini I.C.C. Safety kit - 2 1/2 pound ABC fire extinguisher & hazard reflectors

- 1 MTS-1-084, 52" High X 23" Deep Compartments, 11' Long Body, 12 Ga. body, 44" x 21" wheel well opening / installed on chassis
- 1 Adder for 1 or 2 ton service body "Tall Tower Crane" reinforcement structure of body

NOTE: For individual crane equipment & accessory items ie. adj. boom saddle, outrigger pkgs., body leveling pkgs., hyd. pkgs. to operate a crane or other hyd. drive components - Contact Factory

## - Hydraulic Cranes (Tall or Short Tower) -

All cranes include a closed center load sensing hydraulic power package consist of a PTO, CC/LS pump, oil reservoir w/ in-tank filter-vented fill cap - sight gauge - suction screen & ball valve, 33 foot remote control w/ proportional trigger & engine start/stop, hydraulic fully extend boom, anti-two block system, overload protection, holding valves, adjustable boom saddle and body spring leveling package (note if air suspension customer will be required to have chassis OEM to provide dual-control)

- 1 Crane 6,350 lb. max. capacity w/ hydraulic extend hex-boom 10' to 24' w/ 2 - rear hydraulic up/down & 1 - manual out crane side outriggers

## - Chassis Equipment & Accessories -

- 1 Electronic engine spd. control - computer set - electronic engine

## - Compressor Equipment & Accessories -

- 1 Model VHP40RMH hydraulic driven recip. air compressor / two-stage w/ 20 gallon air tank / 40 CFM @ 100 PSI / 40 CFM @ 150 PSI includes cover / hydraulic oil cooler build into assembly
- 1 Air accessory package - filter / lubricator / regulator 1/2" X 50' spring rewind reel, hose & ball stop
- 1 Hose reel access out rear compartment

## - Compartment Equipment & Accessories -

- 1 Tall Oxy/Act bottle storage w/ratchet strap, vents, "J" hks. & re/flr.
- 1 2-blowers w/filters for pressurized storage system (PSS)

## - Lighting / Electrical Equipment & Accessories -



- 1 Exterior 12 v. lighting pkg. (halogen) 1-permanent & 1-remote
- 6 Interior 12V lights - Peterson #391
- Painting Equipment & Accessories -
- 1 Paint body complete - one solid urethane color / List color:
  - Note: Due to variations in OEM paint products and application methods, Maintainer cannot guarantee a perfect paint match on colors or metallic.
  - Note: For metallic or clear coat/base coat paint additional charges will be required and are not included in this quote unless shown
- 1 Line-X protective spray covering - cargo center deck, compartment tops & sides, front bulkhead, tail gate & extension, bumper and/or workbench area
- Roll-out Drawer and Tray Equipment & Accessories -
- 1 EZ Latch Aluma (7) drawer HD set (250 lb. cap. Ea.) 29"W x 18"D x (1)-6", (1)-5", (5)-4"H, overall height 40.5" / 2 F-B dividers & 6 SS adj. Dividers
- Center Deck Equipment & Accessories -
- 4 Flush mount "D" ring tie-downs in bed floor, each
- Rear Bumper Equipment & Accessories -
- 1 26" workbench bumper with 2-side storage compartments includes 2" square frame hitch receiver and round recessed tail & marker lights
- 1 Transverse bar storage compt. in workbench bumper
- Miscellaneous Equipment & Accessories -
- 1 Vice / grinder removable mounting plate
- 1 Welder mounting angles for top of compartment installation

\*\*\*NOTE: THIS DRAWING MUST BE SIGNED AND RETURNED BY 9-6-07 TO HOLD CURRENT PRODUCTION SLOT\*\*\*

