



January 28, 2009

AA064 Equipment Quote

- Standard Features -

- Galvannealed body to resist corrosion including body shell (12 ga), bulkhead, wheel skirting and all exterior sheeting / Aluminum doors (3/16" thick)
- Cabinet floor reinforcement w/ clean-out drains
- Three point D-ring door latches w/ gas spring door holders
- Adjustable shelving package
- 49" Wide center deck overlaid with deck plating
- 10" Swing-down tailgate
- 12" Deep, full body width, step bumper w/ 2" square frame hitch receiver rated at Class IV (1,500 lb vert & 10,000 lb MGTW) and 7-prong flat blade (RV style) trailer plug
- Fuel fill recessed into body side rail (1-ton only)
- Body primed, undercoated and includes back-up alarm
- I.C.C. round recessed LED lights, reflectors, mud flaps and rear body grab handles
- Mini I.C.C. Safety kit - 2 1/2 pound ABC fire extinguisher & hazard reflectors

- 1 MTS-1-084, 52" High X 23" Deep Compartments, 11' Long Body, 12 Ga. body, 44" x 21" wheel well opening / installed on chassis
- 1 Adder for 1 or 2 ton service body "Tall Tower Crane" reinforcement structure of body

NOTE: For individual crane equipment & accessory items ie. adj. boom saddle, outrigger pkgs., body leveling pkgs., hyd. pkgs. to operate a crane or other hyd. drive components - Contact Factory

- Hydraulic Cranes (Tall or Short Tower) -

All cranes include a closed center load sensing hydraulic power package consist of a PTO, CC/LS pump, oil reservoir w/ in-tank filter-vented fill cap - sight gauge - suction screen & ball valve, 33 foot remote control w/ proportional trigger & engine start/stop, hydraulic fully extend boom, anti-two block system, overload protection, holding valves, adjustable boom saddle and body spring leveling package (note if air suspension customer will be required to have chassis OEM to provide dual-control)

- 1 Crane 6,350 lb. max. capacity w/ hydraulic extend hex-boom 10' to 24' w/ 2 - rear hydraulic up/down & 1 - manual out crane side outriggers

- Chassis Equipment & Accessories -

- 1 Add charge to std PTO for Allison auto transmission in lieu of std manual
- 1 Electronic engine spd. control - computer set - electronic engine

- Compressor Equipment & Accessories -

- 1 Ingersoll-Rand VHP40RMH hydraulic driven recip. air compressor / 2-stage w/ 20 gallon air tank / 40 CFM @ 100 PSI / 40 CFM @ 150 PSI includes cover / hydraulic oil cooler built into assembly

- 1 Air accessory package - filter / lubricator / regulator
1/2" X 50' spring rewind reel, hose & ball stop
- 1 Hose reel access out rear compartment
- 1 Locate air compressor in center deck

- Compartment Equipment & Accessories -
- 1 Tall Oxy/Act bottle storage w/ratchet strap, vents, "J" hks. & re/flr.
- 1 2-blowers w/filters for pressurized storage system (PSS)

- Lighting / Electrical Equipment & Accessories -
- 1 Exterior 12 v. lighting pkg. (halogen) 1-permanent & 1-remote
- 6 Interior 12 v. strip light

- Painting Equipment & Accessories -
- 11 Feet of unit painted urethane "White" color / Base Charge / List Code:
Not a base coat/clear coat or Metallic
Note: Due to variations in OEM paint products and application methods,
Maintainer cannot guarantee a perfect paint match on color
- 11 Feet of Protective Spray Covering - cargo center deck, compartment tops &
sides, front bulkhead, tail gate & extention, bumper and/or workbench area

- Roll-out Drawer and Tray Equipment & Accessories -
- 1 EZ Latch Aluma (5) drawer std. set (125 lb. cap. Ea.) 18"W x 18"D x (5)-4"H,
overall height 29" / 1 F-B divider & 4 S-S adj. Dividers
- 1 EZ Latch Aluma (7) drawer HD set (250 lb. cap. Ea.) 29"W x 18"D x (1)-6",
(1)-5", (5)-4"H, overall height 40.5" / 2 F-B dividers & 6 SS adj. Dividers

- Center Deck Equipment & Accessories -
- 4 Flush mount "D" ring tie-downs in bed floor, each

- Rear Bumper Equipment & Accessories -
- 1 26" workbench bumper with 2-side storage compartments includes
2" square frame hitch receiver and round recessed tail & marker lights
- 1 Transverse bar storage compt. in workbench bumper

- Miscellaneous Equipment & Accessories -
- 1 Vise / grinder removable mounting plate
- 1 Welder mounting angles for top of compartment installation

Total Price of Unit / F.O.B. Sheldon, IA or Hopkinsville, KY 0.00

Optional Prices: Including Installation.

- 1 Radio-wireless crane remote control, includes: engine start-stop, engine
speed control, proportional control and ship along 33' cable for backup 0.00
- 1 Hydraulic extend in/out outrigger - one side, in lieu of manual 0.00

Delivery charges to be determined.

This quote is good for 30 days and does not include any applicable local, state or federal taxes, or freight outside of Houston, Texas. Payment in full is require upon acceptance, unless other terms are agreed upon prior to sale.

The information contained in this quote, and all supporting documentation, is confidential and may only be used by Maintainer and the dealer and/or customer listed on this quote.

Thank you for your interest in Maintainer's products and the opportunity to quote you. If you have any questions please feel free to contact us at (800) 700-6601.

Sincerely,

Salesmen Name Here
Truck & Equipment Sales
Houston Automotive Group, Inc.
(281) 807-6500

Please show acceptance by signing below and faxing back to me at (281) 807-5322.

Order Acknowledgement / Authorization:
Customer Company

By: Customer