

# DA044 Maintainer MTS H6520TT-1-084 Service Body

### - Maintainer Service Body (MTS) Features -

- Galvanneal body, wheel skirting / Aluminum doors (3/16" thick) 49"W center deck overlaid with deck plating Fuel fill(s) recessed into body side rail (1-ton only). Includes mud flaps & rear body grab handles. ICC recessed LED lights & reflectors.
- 1 MTS-1-084, 52" High x 23" Deep Compartments, 11' Long Body, 14/12 Ga. Body, 44" x 21" wheel well opening / installed on chassis
- Adder to MTS 1 or 2 ton service body "Tall Tower Crane" reinforcement structure of body NOTE: For individual crane equipment & accessory items ie. Adj. boom saddle, outrigger pkgs, body leveling pkgs, hyd. Pkgs to operate a crane or other hyd drive components Contact factory

### - Hydraulic Cranes (Tall or Short Tower) -

- Includes closed center / load sensing hydra power package (PTO, pump, reservoir). Adjustable boom saddle & body spring or spacer leveling package, (NOTE: If air suspension, customer will be required to have chassis OEM provide dual controller.
- 1 H6520 Crane 6,500 lb max cap. (38,000 ft/lb) w/ hydra extend hex-boom w/12'-20' w/ 2 rear hydraulic up/down, manual out crane side outriggers. Crane includes wireless remote, crane hour meter, engine start/stop, A2B, overload & holding valves.

## - Chassis Equipment and Accessories -

- 1 Standard Items: Backup Alarm, mini I.C.C. safety kit, fire extinguisher, ABC, 2.5 lb & hazard reflectors
- Add charge to std PTO package for electric required on chassis w/ auto trans. Ford F450-550 & Dodge 4500-5500
- 1 Electronic engine spd control computer set electronic engine
- 1 Bug screen on chassis hood 1 ton Ford

### - Compressor Equipment & Accessories -

- Vanair RC40 hydraulic driven recip. air compressor / 2-stage w/ 20 gallon air tank / 40 CFM @ 100 PSI / 40 CFM @ 150 PSI includes cover / hydraulic oil cooler built into assembly
- Air accessory package filter / lubricator / regulator 1/2" X 50' spring rewind reel, hose & ball stop
- 1 Hose reel access out rear compartment

### - Compartment Equipment & Accessories -

- 1 Cabinet floors reinforced with clean out drains, Three point D-ring door latches with gas spring door holders, adjustable shelving package
- Oxy/Act bottle storage w/ratchet strap, vents, "J" hks. & re/flr. (PS2)
- 1 2-blowers w/filters for pressurized storage system (PSS)
- 1 Welder mounting angles

### - Lighting / Electrical Equipment & Accessories -

- 1 Exterior 12V lighting pkg. (halogen) 1-permanent & 1-remote
- 7 Interior 12V LED strip light (can be used in O/A Compartments)

### - Painting Equipment & Accessories -

- Body Primed, undercoated as standard. See below for painting options NOTE: Base charge is per foot of service body length (exterior & interior of body)
- 11 Feet of unit painted urethane "White" color

Not a base coat/clear coat or Metallic

Note: Due to variations in OEM paint products and application methods,

Maintainer cannot guarantee a perfect paint match on color

NOTE: For colors other than white, additional charges will be required

#### List Paint Code:

Feet of Protective Spray Covering - MTS - cargo deck center, compartment tops & sides, front bulkhead, tail gate & extension, bumper and/or workbench area

### - Roll-out Drawer and Tray Equipment & Accessories -

DuaLock (7) drawer HD aluminum set (300 lb. cap. Ea.) 29"W x 18"D x (1)-7", (3)-5", (3)-3"H, overall height 40.25" / 2 F-B dividers & 6 SS adj. Dividers / Installed

## - Center Deck Equipment & Accessories -

- 1 Includes front bulkhead, 10" swing down tail gate
- 4 Flush mount "D" ring tie-downs in bed floor, each

## - Rear Bumper Equipment & Accessories -

1 12" Deep full body width step bumper w/ 2" square frame hitch receiver rated at Class IV (1,500lb vert & 10,000lb MGTW) & 7-prong (RV style) flat blade trailer plug

Items quoted below are "in lieu of standard"

- 1 26" workbench bumper with 2-side storage compartments includes 2" square frame hitch receiver and round recessed tail & marker lights
- 1 Transverse bar storage compt. in workbench bumper
- 1 Vise / grinder removable mounting plate