



**DA146 / Maintainer H6520TT-1-084 Service Body**

<b>1</b>	<b>Maintainer Service Bodies (MTS) -</b>	
----------	--	--

Galvanneal body, wheel skirting / Aluminum doors (3/16" thick) 49"W center deck overlaid with deck plating - Fuel fill(s) recessed into body side rail (1-ton only). Includes mud flaps and rear body grab handles. ICC recessed LED lights & reflectors

- 1 MTS-1-084, 52" High X 23" Deep Compartments, 11' Long Body, 14 / 12 Ga. body, 44" x 21" wheel well opening / installed on chassis
- 1 Adder to MTS 1 or 2 ton service body "Tall Tower Crane" reinforcement structure of body

<b>1</b>	<b>Hydraulic Cranes (Tall or Short Towers)</b>	
----------	--	--

Includes closed center / load sensing hydra power package (PTO, pump, reservoir). adjustable boom saddle & body spring or spacer leveling package, (Note: If air suspension, customer will be required to have chassis OEM provide dual controller)

- 1 H6520 Crane 6,500 lb max. cap. (38,000 ft/lb) w/ hydra extend hex-boom 12'-20'

w/ 2 - rear hydraulic up/down & manual out crane side outriggers. Crane includes wireless remote, crane hour meter, engine start/stop, A2B, overload & holding valves.

<b>1</b>	<b>Chassis Equipment &amp; Accessories / MTS Bodies</b>	
----------	---	--

Includes: Backup alarm, Mini I.C.C.'safety kit, fire extinguisher, ABC, 2.5 lb.& hazard reflectors

- 1 Add charge to std PTO package for electric required on chassis w/ auto trans. Ford F450-550 & Dodge 4500-5500
- 1 Electronic engine spd. control - computer set - electronic engine

<b>1</b>	<b>Hydraulic Equipment &amp; Accessories</b>	
----------	--	--

NOTE: For high GPM hydraulic requirements - Contact Factory

- 1 Open center hydraulic pump system in lieu of closed center load sensing

<b>1 Compressor Equipment &amp; Accessories</b>	
---	--

- 1 Vanair RC40 hydraulic driven recip. air compressor / 2-stage  
w/ 20 gallon air tank / 40 CFM @ 100 PSI / 40 CFM @ 150 PSI includes cover / hydraulic oil cooler built into assembly
- 1 Air accessory package - 1/2" X 50'  
Filter / lubricator / regulator, spring rewind reel, hose & ball stop
- 1 Hose reel access out rear compartment

<b>1 Compartment Equipment &amp; Accessories / MTS &amp; Select Series Bodies</b>	
---	--

- Cabinet Floors Reinforced with Clean out drains 'Three Point D-ring door latches with gas spring door holders 'Adjustable Shelving Package
- 5 Per foot charge (one side of truck) for 1"-13" taller compartment than standard  
59" tall compartments - PS1 & PS2
- 1 Oxy/Act bottle storage w/ratchet strap, vents, "J" hks. & re/flr.  
P1 location
- 1 2-blowers w/filters for pressurized storage system (PSS)

<b>1 Lighting / Electrical Equipment &amp; Accessories</b>	
--	--

- 6 Interior 12 v. light - 391 Peterson (EACH)
- 1 Exterior 12 v. lighting pkg. (halogen) 1-permanent & 1-remote

<b>1 Painting Equipment &amp; Accessories</b>	
---	--

- Body primed, undercoated as standard. See below for painting options
- 11 Feet of unit painted urethane "White" color  
Not a base coat/clear coat or Metallic  
Note: Due to variations in OEM paint products and application methods, Maintainer cannot guarantee a perfect paint match on color  
Note: For colors other than white additional charges will be required  
List Paint Code:
- 11 Feet of PPG-splatter-paint interior compartment finish on painted bodies

<b>1</b>	<b>Roll-Out drawer and Tray Equipment &amp; Accessories</b>	
----------	---	--

1 DuaLock (7) drawer HD aluminum set 29"W x 18"D x (1)-7", (3)-5", (3)-3"H,  
(300 lb. cap. Ea.) overall height 40.25" / 2 F-B dividers & 6 SS adj. Dividers / Installed -  
#013757

<b>1</b>	<b>Center Deck Equipment &amp; Accessories</b>	
----------	--	--

Includes front bulkhead, 10" swing down tail gate  
4 Flush mount "D" ring tie-downs in bed floor, each

<b>1</b>	<b>Rear Bumper Equipment &amp; Accessories (MTS Bodies)</b>	
----------	---	--

Standard items include: 12" Deep full body width step bumper w/ 2" square frame hitch receiver rated at Class IV (1,500 lb vert & 10,000 lb MGTW) & 7-prong (RV style) flat blade trailer plug

Items quoted below are "in lieu of standard"

- 1 26" steel workbench bumper with 2-side storage compartments includes  
2" square frame hitch receiver and round recessed tail & marker lights
- 1 Transverse bar storage compt. in workbench bumper

<b>1</b>	<b>Miscellaneous Equipment &amp; Accessories</b>	
----------	--	--

- 1 Vise / grinder removable mounting plate