



## DA235 / Maintainer H6520TT-1-084 Service Body

### 1 <<< Maintainer Service Bodies (MTS) >>>

Galvanneal body, wheel skirting / Aluminum doors (3/16" thick) 49"W center deck overlaid with deck plating - Fuel fill(s) recessed into body side rail (1-ton only). Includes mud flaps and rear body grab handles. ICC recessed LED lights & reflectors

1 MTS-1-084, 52" High X 23" Deep Compartments, 11' Long Body, 14 / 12 Ga. body, 44" x 21" wheel well opening / installed on chassis

1 Adder to MTS 1 or 2 ton service body "Tall Tower Crane" reinforcement structure of body

NOTE: For individual crane equipment & accessory items ie. adj. boom saddle, outrigger pkgs., body leveling pkgs., hyd. pkgs. to operate a crane or other hyd. drive components - Contact Factory

### 1 <<< Hydraulic Cranes (Tall or Short Towers) >>>

Includes closed center / load sensing hydra power package (PTO, pump, reservoir). adjustable boom saddle & body spring or spacer leveling package, (Note: If air suspension, customer will be required to have chassis OEM provide dual controller)

1 H6520 Crane 6,500 lb max. cap. (38,000 ft/lb) w/ hydra extend hex-boom 12'-20'

w/ 2 - rear hydraulic up/down & manual out crane side outriggers. Crane includes wireless remote, crane hour meter, engine start/stop, A2B, overload & holding valves.

### 1 <<< Chassis Equipment & Accessories / MTS Bodies >>>

Includes: Backup alarm, Mini I.C.C.'safety kit, fire extinguisher, ABC, 2.5 lb.& hazard reflectors

1 Add charge to std PTO package for electric required on chassis w/ auto trans. Ford F450-550 & Dodge 4500-5500

1 Electronic engine spd. control - computer set - electronic engine

### 1 <<< Hydraulic Equipment & Accessories >>>

NOTE: For high GPM hydraulic requirements - Contact Factory

1 Open center hydraulic pump system in lieu of closed center load sensing

### 1 <<< Compressor Equipment & Accessories >>>

1 Vanair RC40 hydraulic driven recip. air compressor / 2-stage

w/ 20 gallon air tank / 40 CFM @ 100 PSI / 40 CFM @ 150 PSI includes cover / hydraulic oil cooler built into assembly

- 1 Air accessory package - 1/2" X 50'  
Filter / lubricator / regulator, spring rewind reel, hose & ball stop
- 1 Hose reel access out rear compartment

1 <<< **Compartment Equipment & Accessories / MTS & Select Series Bodies** >>>

Cabinet Floors Reinforced with Clean out drains 'Three Point D-ring door latches with gas spring door holders 'Adjustable Shelving Package

- 1 Tall Oxy/Act bottle storage w/ratchet strap, vents, "J" hks. & re/flr.
- 1 2-blowers w/filters for pressurized storage system (PSS)
- 1 Welder mounting angles

1 <<< **Lighting / Electrical Equipment & Accessories** >>>

- 7 Interior 12 v. LED strip light (can be used in O/A compartments)
- 1 Exterior 12 v. lighting pkg. (halogen) 1-permanent & 1-remote

1 <<< **Painting Equipment & Accessories** >>>

Body primed, undercoated as standard. See below for painting options

Note: Base charge is per foot on exterior of service body (splatter-coating on compartment interior)

Select options that apply below:

- 11 Feet of unit painted urethane "White" color  
Not a base coat/clear coat or Metallic  
Note: Due to variations in OEM paint products and application methods, Maintainer cannot guarantee a perfect paint match on color  
Note: For colors other than white additional charges will be required  
List Paint Code:
- 11 Feet of Protective Spray Covering - MTS - cargo center deck, compartment tops & sides, front bulkhead, tail gate & extension, bumper and/or workbench area

1 <<< **Roll-Out drawer and Tray Equipment & Accessories** >>>

- 1 DuaLock (7) drawer HD aluminum set 29"W x 18"D x (1)-7", (3)-5", (3)-3"H,  
(300 lb. cap. Ea.) overall height 40.25" / 2 F-B dividers & 6 SS adj. Dividers / Installed -  
#013757

1 <<< **Center Deck Equipment & Accessories** >>>

- Includes front bulkhead, 10" swing down tail gate  
4 Flush mount "D" ring tie-downs in bed floor, each

1 <<< **Rear Bumper Equipment & Accessories (MTS Bodies)** >>>

- Standard items include: 12" Deep full body width step bumper w/ 2" square frame hitch receiver rated at Class IV (1,500 lb vert & 10,000 lb MGTW) & 7-prong (RV style) flat blade trailer plug  
Items quoted below are "in lieu of standard"
- 1 26" steel workbench bumper with 2-side storage compartments includes  
2" square frame hitch receiver and round recessed tail & marker lights  
1 Transverse bar storage compt. in workbench bumper  
1 Vise / grinder removable mounting plate