



May 6th, 2014

**Quote No: FF111**

H6520TT-1-084 / 2015 Ford 550 4x4

QTY	DESCRIPTION
-----	-------------

- |   |  |
|---|--|
| 1 | <b>&lt;&lt;&lt; Maintainer Service Bodies (MTS) &gt;&gt;&gt;</b> |
|---|--|
- Galvanneal body, wheel skirting, aluminum doors (3/16" thick), 49"W center deck overlaid with deck plating, includes mud flaps and rear body grab handles. ICC recessed LED lights & reflectors
- 1 MTS-1-084, 52" High X 23" Deep Compartments, 11' Long Body, 14 / 12 Ga. body, 44" x 21" wheel well opening, fuel fill(s) recessed into body side rail, installed on chassis.
- 1 Adder to MTS 1 or 2 ton service body "Tall Tower Crane" reinforcement structure of body

- |   |  |
|---|--|
| 1 | <b>&lt;&lt;&lt; Hydraulic Crane Packages (Tall or Short Towers) &gt;&gt;&gt;</b> |
|---|--|
- Includes closed center / load sensing hydra power package (PTO, pump, reservoir). adjustable boom saddle & body spring or spacer leveling package, (Note: If air suspension, customer will be required to have chassis OEM provide dual controller)
- 1 H6520 Crane 6,500 lb max. cap. (38,000 ft\*lb) w/ hydra extend hex-boom 12'-20'
- w/ 2 - rear hydraulic up/down & manual out crane side outriggers. Crane includes wireless remote, crane hour meter, engine start/stop, A2B, overload & holding valves.

- |   |   |
|---|---|
| 1 | <b>&lt;&lt;&lt; Chassis Equipment &amp; Accessories / MTS Bodies &gt;&gt;&gt;</b> |
|---|---|
- Includes: Backup alarm, Mini I.C.C.'safety kit, fire extinguisher, ABC, 2.5 lb.& hazard reflectors
- Add charge to std PTO pkg for elect-over-hyd. required on chassis w/ auto trans.
- 1 Ford F450-550 & Dodge 4500-5500
- 1 Electronic engine spd. control - computer set - electronic engine

- |   |  |
|---|--|
| 1 | <b>&lt;&lt;&lt; Hydraulic Equipment &amp; Accessories &gt;&gt;&gt;</b> |
|---|--|
- NOTE: For high GPM hydraulic requirements - Contact Factory
- 1 Open center hydraulic pump system in lieu of closed center load sensing

1 <<< **Compressor Equipment & Accessories** >>>

- 1 Vanair RC40 hydraulic driven recip. air compressor / 2-stage w/ 17 gallon air tank / 40 CFM @ 100 PSI / 40 CFM @ 150 PSI includes cover / hydraulic oil cooler built into assembly
- 1 Air accessory package - 1/2" X 50' Filter / lubricator / regulator, spring rewind reel, hose & ball stop
- 1 Hose reel access out rear compartment

1 <<< **Compartment Equipment & Accessories / MTS Bodies** >>>

- Cabinet Floors Reinforced with Clean out drains 'Three Point D-ring door latches with gas spring door holders 'Adjustable Shelving Package
- 5 Per foot charge (one side of truck) for 1"-13" taller compartment than standard 59" tall compartments - PS1 & PS2
- 2 Compartment to have large single door, in lieu of double doors. NOTE: for up to 40" wide compartment
- 1 Oxy/Act bottle storage w/ratchet strap, vents, "J" hks. & re/flr. P2 location with bottle straps to the left side wall
- 1 2-blowers w/filters for pressurized storage system (PSS)
- 1 Over-wheel compartment to have a single "hinge-up" door, ILOS

1 <<< **Lighting / Electrical Equipment & Accessories** >>>

- 6 Interior 12 v. light - 391 Peterson (EACH)
- 1 Exterior 12 v. lighting pkg. (halogen) 1-permanent & 1-remote

1 <<< **Painting Equipment & Accessories** >>>

- Body primed, undercoated as standard. See below for painting options
- Note: Base charge is per foot on exterior of service body (splatter-coating on compartment interior)
- Select options that apply below:
- 11 Feet of unit painted urethane "White" color  
Not a base coat/clear coat or Metallic  
Note: Due to variations in OEM paint products and application methods, Maintainer cannot guarantee a perfect paint match on color  
Note: For colors other than white additional charges will be required  
List Paint Code:

1 <<< **Roll-Out drawer and Tray Equipment & Accessories** >>>

- 1 DuaLock (7) drawer HD aluminum set 29"W x 18"D x (1)-7", (3)-5", (3)-3"H, (300 lb. cap. Ea.) overall height 40.25" / 2 Front-to-Back dividers & 6 Side-to-Side adj. Dividers / Installed - #013757

1 <<< **Center Deck Equipment & Accessories** >>>

- Includes front bulkhead, 10" swing down tail gate
- 4 Flush mount "D" ring tie-downs in bed floor, each

1

**<<< Rear Bumper Equipment & Accessories (MTS Bodies) >>>**

Standard items include: 12" Deep full body width step bumper w/ 2" square frame hitch receiver rated at Class IV (1,500 lb vert & 10,000 lb MGTW) & 7-prong (RV style) flat blade trailer plug

Items quoted below are "in lieu of standard"

- 1 26" steel workbench bumper with 2-side storage compartments includes 2" square frame hitch receiver and round recessed tail & marker lights
- 1 Transverse bar storage compt. in workbench bumper

1

**<<< Miscellaneous Equipment & Accessories >>>**

- 1 Vise / grinder removable mounting plate