



Y097

10000TT-2-120/L

- Standard Features -

- Galvannealed body to resist corrosion including body shell (12 ga), bulkhead, wheel skirting and all exterior sheeting / Aluminum doors (3/16" thick)
- Cabinet floor reinforcement w/ clean-out drains
- Three point D-ring door latches w/ gas shock door holders
- Adjustable shelving package
- 49" Wide center deck overlaid with deck plating
- 10" Swing-down tailgate
- 12" Deep, full body width, step bumper w/ 2" square frame hitch receiver rated at Class IV (1,500 lb vert & 10,000 lb MGTW) and 7-prong flat blade (RV style) trailer plug
- Fuel fill recessed into body side rail (1-ton only)
- Body primed, undercoated and includes back-up alarm
- I.C.C. round recessed lights, reflectors, mud flaps and rear body grab handles
- Mini I.C.C. Safety kit - 2 1/2 pound ABC fire extinguisher & hazard reflectors

- 1 MTS-2-084, 59" High X 23" Deep Compartments, 11' Long Body, 12 Ga. body, 54" x 28" wheel well opening / installed on chassis
- 1 Adder for 1 or 2 ton service body "Tall Tower Crane" reinforcement structure of body

NOTE: For individual crane equipment & accessory items ie. adj. boom saddle, outrigger pkgs., body leveling pkgs., hyd. pkgs. to operate a crane or other hyd. drive components - Contact Factory

- 3 Feet of "Standard Compartment" for C-A=120"

- Hydraulic Cranes (Tall or Short Tower) -

All cranes include a closed center load sensing hydraulic power package consist of a PTO, CC/LS pump, oil reservoir w/ in-tank filter-vented fill cap - sight gauge - suction screen & ball valve, 33 foot remote control w/ proportional trigger & engine start/stop, hydraulic fully extend boom, anti-two block system, overload protection, holding valves, adjustable boom saddle and body spring leveling package (note if air suspension customer will be required to have chassis OEM to provide dual-control)

- 1 Crane 10,000 lb. max. capacity w/ hydraulic extend hex-boom 12' to 24' w/ 2 - rear hydraulic up/down & 1 - hydraulic out crane side outriggers

- Chassis Equipment & Accessories -

- 1 Electronic engine spd. control - computer set - electronic engine

- Hydraulic Equipment & Accessories -

- 1 Large oil reservoir in lieu of std
 - Compressor Equipment & Accessories -
 - 1 Model VHP40RMH hydraulic driven recip. air compressor / two-stage w/ 20 gallon air tank / 40 CFM @ 100 PSI / 40 CFM @ 150 PSI includes cover / hydraulic oil cooler build into assembly
 - 1 Air accessory package - filter / lubricator / regulator 1/2" X 50' spring rewind reel, hose & ball stop
 - 1 Hose reel access out rear compartment
 - Compartment Equipment & Accessories -
 - 1 Oxy/Act bottle storage w/ratchet strap, vents, "J" hks. & re/flr.
 - 1 2-blowers w/filters for pressurized storage system (PSS)
 - 1 Deck plate overlaid compartments
 - Lighting Equipment & Accessories -
 - 1 Exterior 12 v. lighting pkg. (halogen) 1-permanent & 1-remote
 - 2 Exterior 12 v. flood light (halogen)
 - 8 Interior 12 v. strip light
 - Painting Equipment & Accessories -
 - 2 Paint body complete - one solid urethane color / List color:
Note: Due to variations in OEM paint products and application methods, Maintainer cannot guarantee a perfect paint match on colors or metallic.
Note: For metallic or clear coat/base coat paint additional charges will be required and are not included in this quote unless shown
 - 1 Line-X protective spray covering - cargo center deck, compartment tops & sides, front bulkhead, tail gate & extension, bumper and/or workbench area
 - Roll-out Drawer and Tray Equipment & Accessories -
 - 1 EZ Latch Alumina (5) drawer std. set (125 lb. cap. Ea.) 18"W x 18"D x (5)-4"H, overall height 29" / 1 F-B divider & 4 S-S adj. Dividers
 - 1 EZ Latch Alumina (7) drawer HD set (250 lb. cap. Ea.) 29"W x 18"D x (1)-6", (1)-5", (5)-4"H, overall height 40.5" / 2 F-B dividers & 6 SS adj. Dividers
 - Center Deck Equipment & Accessories -
 - 4 Flush mount "D" ring tie-downs in bed floor, each
 - 1 Removable divider panel in center deck
 - Rear Bumper Equipment & Accessories -
 - 1 26" workbench bumper with 2-side storage compartments includes 2" square frame hitch receiver and round recessed tail & marker lights
 - 1 Transverse bar storage comp. in workbench bumper
 - Miscellaneous Equipment & Accessories -
 - 1 Vise / grinder removable mounting plate
 - 1 Welder mounting angles for top of compartment installation
 - Service / Lube Combo Options
Tanks equipped with filtered fill caps, suction screen, guarded sight gauge, shut-off valve on tank suction line, tank baffles and tank rack
 - Steel Lube Tanks -
 - 4 100 gallon steel tanks
 - Hydraulic Driven Pump Kits -
 - 3 Hydra Kit #1 Oil - Commercial-Shearing pump (small displacement) 0-8 GPM delivery w/ hydraulic, 10wt or 20wt @ 60 degrees F. 0-4 GPM delivery w/ 30wt, 50wt or 90 wt @ 60 degrees F. Hannay 1/2" X 50' spring reel & high-flow non-drip rigid dispenser
 - 1 Hydra Kit #5 Evacuation - Commercial-Shearing pump

0-10 GPM delivery w/ hydraulic, 10wt or 20wt @ 60 degrees F.

0-4 GPM delivery w/ 30wt, 50wt or 90 wt @ 60 degrees F.

Hannay 1" X 30' spring reel, 4-way control & suction screen

- Air Driven Pump Kits -

- 1 Air Kit #12 120# Grease Kit - Graco 50:1 pump (regulator & oiler)
drum cover, follow plate & tie down
Hannay 3/8" X 50' spring rewind reel w/ high pressure swivel
dispenser with swivel